



Safety Data Sheet

Ammonium Molybdate

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Ammonium Molybdate

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25171 Recommended uses of the product and restrictions on use: Manufacturer Details:

POWERCHEM –Qewaisna –Menofia Egypt

Emergency telephone number:

(+2)01117366722

WWW.POWERFINECHEMICAL.COM

SECTION 2: Hazards identification

Classification of the substance or mixture:



**Irritant**

Skin irritation, category 2 Eye irritation, category 2B

Acute toxicity (oral, dermal, inhalation), category 4

Hazards Not Otherwise Classified - Combustible Dust.

Acute Tox., oral, 4.

Skin Irrit. 2.

Eye Irrit. 2.

STOT SE 3.

Signal word: Warning

Hazard statements:

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

Harmful in contact with skin.

Harmful if inhaled.

May cause respiratory irritation.

Precautionary statements:

Do not eat, drink or smoke when using this product.

Wash ... thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Specific treatment (see ... on this label).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.



**Ammonium Molybdate**


Continue rinsing.  
 Call a POISON CENTER or doctor/physician if you feel unwell.  
 Rinse mouth.  
 Take off contaminated clothing and wash before reuse.  
 IF ON SKIN: Wash with soap and water.  
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention.  
 If eye irritation persists get medical advice/attention.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Store locked up.  
 Store in a well ventilated place. Keep container tightly closed.  
 Dispose of contents/container to ....

**Other Non-GHS Classification:**

**WHMIS**



**NFPA/HMIS**



NFPA SCALE (0-4)

<b>Health</b>	<b>2</b>
<b>Flammability</b>	<b>1</b>
<b>Physical Hazard</b>	<b>0</b>
<b>Personal Protection</b>	<b>0</b>

HMIS RATINGS (0-4)

**SECTION 3: Composition/information on ingredients**

<b>Ingredients:</b>		
CAS 12027-67-7	Ammonium Molybdate	100 %
Percentages are by weight		



**SECTION 4: First aid measures**

**Description of first aid measures**

**After inhalation:**

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

**After skin contact:**

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

**After eye contact:**



### Ammonium Molybdate

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

**After swallowing:**

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

**Most important symptoms and effects, both acute and delayed:**

Irritation. Nausea. Headache. Shortness of breath.

**Indication of any immediate medical attention and special treatment needed:**

If seeking medical attention, provide SDS document to physician.

### SECTION 5: Firefighting measures

**Extinguishing media**

**Suitable extinguishing agents:**

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

**Unsuitable extinguishing agents:** None

**Special hazards arising from the substance or mixture:**

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

**Advice for firefighters:**

**Protective equipment:**

Use NIOSH-approved respiratory protection/breathing apparatus.

**Additional information (precautions):**

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

### SECTION 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Transfer to a disposal or recovery container. Use spark-proof tools and explosion-proof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

**Environmental precautions:**

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

**Methods and material for containment and cleaning up:**

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect solids in powder form using vacuum with (HEPA filter).

**Reference to other sections:** None

### SECTION 7: Handling and storage

**Precautions for safe handling:**

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing



**POWER CHEMICAL**

dust surfaces with compressed air). Routine housekeeping should be instituted to ensure that dusts do



**Ammonium Molybdate**

not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use only in well ventilated areas. Avoid contact with eyes, skin, and clothing.

**Conditions for safe storage, including any incompatibilities:**

Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Store with like hazards.

**Control Parameters:** , , OSHA PEL TWA (Total Dust) 15 mg/m3 (50 mppcf\*).

**SECTION 8: Exposure controls/personal protection**



, , ACGIH TLV TWA (inhalable particles) 10 mg/m3.

**Appropriate Engineering controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

**Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

**Protection of skin:** The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Eye protection:** Safety glasses with side shields or goggles.

**General hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

**SECTION 9: Physical and chemical properties**

<b>Appearance (physical state, color):</b>	White solid	<b>Explosion limit lower:</b>	Not Determined
		<b>Explosion limit upper:</b>	Not Determined
<b>Odor:</b>	Odorless	<b>Vapor pressure at 20°C:</b>	Not Determined
<b>Odor threshold:</b>	Not Determined	<b>Vapor density:</b>	Not Determined



Ammonium Molybdate

<b>pH-value:</b>	5.0 - 5.5 5% aq. solution	<b>Relative density:</b>	2.490
<b>Melting/Freezing point:</b>	190C	<b>Solubilities:</b>	ND = Not Determined. N/A = Not Applicable. Material is water soluble.
<b>Boiling point/Boiling range:</b>	Not Determined	<b>Partition coefficient (n-octanol/water):</b>	Not Determined
<b>Flash point (closed cup):</b>	Not Determined	<b>Auto/Self-ignition temperature:</b>	Not Determined
<b>Evaporation rate:</b>	2.490	<b>Decomposition temperature:</b>	>150C
<b>Flammability (solid, gaseous):</b>	Not Determined	<b>Viscosity:</b>	a. Kinematic: Not Determined b. Dynamic: Not Determined
<b>Density at 20°C:</b>	Not Determined		

SECTION 10: Stability and reactivity

**Reactivity:** None

**Chemical stability:**

No decomposition if used and stored according to specifications.

**Possible hazardous reactions:**

None under normal processing.

**Conditions to avoid:**

Store away from oxidizing agents, strong acids or bases. Incompatible materials, exposure to moisture, excess heat, dust formation.

**Incompatible materials:**

Strong acids. Strong oxidizers.

**Hazardous decomposition products:**

Carbon oxides (CO, CO<sub>2</sub>). Oxides of nitrogen.

SECTION 11: Toxicological information

**Acute Toxicity: Oral:**

> 2000 mg/kg bw LD50

**Dermal:**

> 3.92 mg/L air LC50

**Inhalation:**

> 2000 mg/kg bw LD50

**Chronic Toxicity:** No additional information. **Corrosion**

**Irritation:** No additional information. **Sensitization:** No additional information.

**Numerical Measures:** No additional information.

**Carcinogenicity:** No additional information.

**Mutagenicity:** No additional information.

**Reproductive Toxicity:** No additional information.



**POWER CHEMICAL**

**SECTION 12: Ecological information**



**Ammonium Molybdate**

**Ecotoxicity:**

LC50 Fish : . 60 mg/L

Allorchestes compressa , 96 h , LC50 : 247 mg/L

EC10 , Pseudokirchnerella subcapitata: 52.4 mg/L

**Persistence and degradability:**

Readily degradable in the environment.

**Bioaccumulative potential:** No additional information.

**Mobility in soil:** No additional information.

**Other adverse effects:** No additional information.

**SECTION 13: Disposal considerations**

**Waste disposal recommendations:**

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

**SECTION 14: Transport information**

**US DOT**

**UN Number:**

ADR, ADN, DOT, IMDG, IATA

Not Regulated

**Limited Quantity Exception:**

None

**Bulk:**

**RQ (if applicable):** None

**Proper shipping Name:** Not Regulated.

**Hazard Class:** None

**Packing Group:** Not Regulated.

**Marine Pollutant (if applicable):** No additional information.

**Comments:** None

**Non Bulk:**

**RQ (if applicable):** None

**Proper shipping Name:** Not Regulated.

**Hazard Class:** None

**Packing Group:** Not Regulated.

**Marine Pollutant (if applicable):** No additional information.

**Comments:** None

**SECTION 15: Regulatory information**

**United States (USA)**

**SARA Section 311/312 (Specific toxic chemical listings):** Acute,  
Chronic

**SARA Section 313 (Specific toxic chemical listings):** None  
of the ingredients are listed.

**RCRA (hazardous waste code):** None  
of the ingredients are listed.



**Ammonium Molybdate**

**TSCA (Toxic Substances Control Act):** All ingredients are listed.

**CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):** None of the ingredients are listed.

**Proposition 65 (California):**

**Chemicals known to cause cancer:**  
None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:** None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**  
None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:** None of the ingredients are listed.

**Canada**

**Canadian Domestic Substances List (DSL):** All ingredients are listed.

**Canadian NPRI Ingredient Disclosure list (limit 0.1%):**  
None of the ingredients are listed.

**Canadian NPRI Ingredient Disclosure list (limit 1%):**  
12077-67-7 Ammonium Molybdate.

**SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**GHS Full Text Phrases:** None

**Abbreviations and Acronyms:**

- IMDG International Maritime Code for Dangerous Goods.
- PNEC Predicted No-Effect Concentration (REACH).
- CFR Code of Federal Regulations (USA).
- SARA Superfund Amendments and Reauthorization Act (USA).
- RCRA Resource Conservation and Recovery Act (USA).
- TSCA Toxic Substances Control Act (USA).
- NPRI National Pollutant Release Inventory (Canada).
- DOT US Department of Transportation.
- IATA International Air Transport Association.



**POWER CHEMICAL**

**Ammonium Molybdate**

GHS Globally Harmonized System of Classification and Labelling of Chemicals.  
ACGIH American Conference of Governmental Industrial Hygienists.  
CAS Chemical Abstracts Service (division of the American Chemical Society).  
NFPA National Fire Protection Association (USA).  
HMIS Hazardous Materials Identification System (USA).  
WHMIS Workplace Hazardous Materials Information System (Canada).  
DNEL Derived No-Effect Level (REACH).

**Effective date:** 12.26.2023

**Last updated:** 06.24.2024