



POWER CHEMICAL

Potassium Nitrate, Reagent

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Potassium Nitrate, Reagent

Manufacturer/Supplier Trade name:

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

POWERCHEM –Qewaisna –Menofia Egypt

Emergency telephone number:

(+2)01117366722

WWW.POWERFINECHEMICAL.COM

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Oxidizing

Oxidizing solids, category 2



Irritant

Skin irritation, category 2

Eye irritation, category 2A

Specific target organ toxicity following single exposure, category 3

Ox. Sol. 2 H272

Skin Irrit. 2 H315

Eye Irrit. 2 H319

STOT SE 3 H335

Hazards Not Otherwise Classified - Combustible Dust

Signal word : Danger

Hazard statements:

May intensify fire; oxidizer

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Keep away from heat/sparks/open flames/hot surfaces. No smoking

Keep/Store away from clothing/.../combustible materials

Take any precaution to avoid mixing with combustibles

Wear protective gloves/protective clothing/eye protection/face protection



POWER CHEMICAL

Potassium Nitrate, Reagent

Avoid breathing dust/fume/gas/mist/vapours/spray
 Wash ... thoroughly after handling
 Use only outdoors or in a well-ventilated area
 Do not eat, drink or smoke when using this product
 Specific treatment (see supplemental first aid instructions on this label)
 Take off contaminated clothing and wash before reuse
 IF ON SKIN: Wash with soap and water
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 If skin irritation occurs: Get medical advice/attention
 If eye irritation persists get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
 Continue rinsing
 Store locked up
 Store in a well ventilated place. Keep container tightly closed
 Dispose of contents/container to ...


Combustible Dust Hazard: :
 May form combustible dust concentrations in air (during processing).

Other Non-GHS Classification:

WHMIS



NFPA/HMIS



NFPA SCALE (0-4)

Health	1
Flammability	0
Physical Hazard	1
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:

CAS 7757-79-1	Potassium Nitrate	>95 %
Percentages are by weight		

SECTION 4 : First aid measures



POWER CHEMICAL

Description of first aid measures

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

**Potassium Nitrate, Reagent**

After skin contact: Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5 : Firefighting measures**Extinguishing media**

Suitable extinguishing agents: If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Advice for firefighters:

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

SECTION 6 : Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Transfer to a disposal or recovery container. Use spark-proof tools and explosion-proof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect solids in powder form using vacuum with (HEPA filter)

Reference to other sections:



POWER CHEMICAL

Precautions for safe handling:

SECTION 7 : Handling and storage

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Routine housekeeping should be instituted to ensure that dusts do



Potassium Nitrate, Reagent

not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid generation of dust or fine particulate. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed. Store with like hazards

SECTION 8 : Exposure controls/personal protection



Control Parameters:

, , OSHA PEL TWA (Total Dust) 15 mg/m³ (50 mppcf*)
, , ACGIH TLV TWA (inhalable particles) 10 mg/m³

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Respiratory protection:

Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

Protection of skin:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Eye protection:

Safety glasses with side shields or goggles.

General hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.



POWER CHEMICAL

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	White solid	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Odorless	Vapor pressure:	Not Determined

**Potassium Nitrate, Reagent**

Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	6-8 5% aq. Solution	Relative density:	Not Determined
Melting/Freezing point:	334 °C / 633.2 °F	Solubilities:	Soluble in Water
Boiling point/Boiling range:	400 °C / 752 °F @ 760 mmHg	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decomposition temperature:	>400 ° C
Flammability (solid,gaseous):	Not Determined	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined

Density: Not Determined

SECTION 10 : Stability and reactivity

Reactivity: Nonreactive under normal conditions.

Chemical stability: No decomposition if used and stored according to specifications.

Possible hazardous reactions: Contact with combustible/organic material may cause fire.

Conditions to avoid: Incompatible products, excess heat, combustible material, and dust formation. Strong reducing agents, Powdered metals, Strong acids, Organic materials

Incompatible materials: Strong reducing agents, strong acids, strong bases.

Hazardous decomposition products: Carbon oxides (CO, CO₂). Oxides of potassium.

SECTION 11 : Toxicological information

Acute Toxicity:		
Oral:	Rat 3015 mg/kg (Source: JAPAN_GHS)	LD50
Chronic Toxicity: No additional information.		
Corrosion Irritation: No additional information.		
Sensitization:	No additional information.	
Single Target Organ (STOT):	No additional information.	
Numerical Measures:	No additional information.	
Carcinogenicity:	IARC-Group 2A: Probably carcinogenic to humans.	
Mutagenicity:	No additional information.	



Potassium Nitrate, Reagent

Reproductive Toxicity:

Reproductive toxicity - rat - Oral Effects on Fertility: Other measures of fertility. Reproductive toxicity - rat - Oral Effects on Newborn: Behavioral. Reproductive toxicity - rabbit - Oral Effects on Fertility: Abortion. Reproductive toxicity - guinea pig - Oral-Effects on Newborn: Stillbirth. Reproductive toxicity - guinea pig - Oral Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated). Effects on Embryo or Fetus: Other effects to embryo.


SECTION 12 : Ecological information

Ecotoxicity Persistence and degradability: Readily degradable in the environment.
Bioaccumulative potential:
Mobility in soil:
Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposal recommendations:
Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14 : Transport information

UN-Number
1486
UN proper shipping name
Potassium Nitrate
Transport hazard class(es)
 **Class:**
5.1 Oxidizing substances
Packing group: III
Environmental hazard:
Transport in bulk:
Special precautions for user:



POWER CHEMICAL

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Chronic



Potassium Nitrate, Reagent

SARA Section 313 (Specific toxic chemical listings):

7757-79-1 Potassium Nitrate

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):**Chemicals known to cause cancer:**

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada**Canadian Domestic Substances List (DSL):**

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:**Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)



POWER CHEMICAL

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)



POWER CHEMICAL

Potassium Nitrate, Reagent

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)