



Zinc Oxide

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Zinc Oxide

Manufacturer/Supplier Trade name:
AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Manufacturer Details:

POWERCHEM –Qewaisna –Menofia Egypt

Emergency telephone number:

(+2)01117366722

WWW.POWERFINECHEMICAL.COM

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Environmentally Damaging

Acute hazards to the aquatic environment, category 1
Chronic hazards to the aquatic environment, category 1

Aquatic AcTox. 1

Aquatic ChrTox. 1

Signal word :Warning

Hazard statements:

Very toxic to aquatic life with long lasting effects

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Avoid release to the environment

Collect spillage

Dispose of contents and container to an approved waste disposal plant

Other Non-GHS Classification:

WHMIS
NFPA/HMIS

Zinc Oxide

NFPA SCALE (0-4)

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:


CAS 1314-13-2

Zinc oxide

>90 %

Percentages are by weight

SECTION 4 : First aid measures



| | |
|---------------------|---|
| Health | 1 |
| Flammability | 0 |
| Physical Hazard | 0 |
| Personal Protection | X |

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Consult a physician.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Consult a physician.

After eye contact: Protect unexposed eye. Rinse or flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Consult a physician.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing. Avoid generating dust.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:



Zinc Oxide

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway. Prevent further leakage or spillage.

Methods and material for containment and cleaning up:

Wear protective eyewear, gloves, and clothing. Refer to Section 8. Sweep up and containerize for disposal. Avoid generating dust. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Pick up and arrange disposal without creating dust. Keep in suitable closed containers for disposal. Follow proper disposal methods. Refer to Section 13.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Wash hands after handling. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid generating dust.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8 : Exposure controls/personal protection



Control Parameters:

1314-13-2, Zinc oxide , 2 mg/m³ USA. ACGIH (TLV)
1314-13-2, Zinc oxide , TWA 5 mg/m³ USA. NIOSH

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved



POWER CHEMICAL

breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

Eye protection:

Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.



Zinc Oxide

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing.

SECTION 9 : Physical and chemical properties

| | | | |
|------------------------------------|----------------------------------|--|--------------------------------|
| Appearance (physical state,color): | Off - white solid | Explosion limit lower: Explosion limit upper: | Non Explosive Non Explosive |
| Odor: | Odorless | Vapor pressure: | Not Determined |
| Odor threshold: | Not Determined | Vapor density: | Not Determined |
| pH-value: | 7.50 g/l aqueous solution (susp) | Relative density: | 5.610 g/cm ³ |
| Melting/Freezing point: | 1975° C | Solubilities: | Insoluble |
| Boiling point/Boiling range: | Not Determined | Partition coefficient (n-octanol/water): | Not Determined |
| Flash point (closed cup): | Not Determined | Auto/Self-ignition temperature: | Not Determined |
| Evaporation rate: | Not Determined | Decomposition temperature: | Not Determined |

| | | | |
|-------------------------------|----------------|------------|---|
| Flammability (solid,gaseous): | Not Determined | Viscosity: | a. Kinematic:Not Determined b. Dynamic: Not Determined |
| Density: Not Determined | | | |

SECTION 10 : Stability and reactivity

Reactivity:Nonreactive under normal conditions.
Chemical stability:Stable under normal conditions.
Possible hazardous reactions:None under normal processing.
Conditions to avoid:Incompatible materials.Dust generation.
Incompatible materials:Strong oxidizing agents.Magnesium. Chlorinated rubber.
Hazardous decomposition products:Zinc oxides

SECTION 11 : Toxicological information

Acute Toxicity:



POWER CHEMICAL

| | | |
|--|-----------|---|
| Oral: | 1314-13-2 | LD50 Oral - mouse - 7,950 mg/kg |
| Inhalation: | 1314-13-2 | LC50 Inhalation - mouse - 2,500 mg/m ³ |
| Chronic Toxicity: No additional information. | | |
| Corrosion Irritation: | | |
| Dermal: | 1314-13-2 | Skin - rabbit Result: Mild skin irritation - 24 h |



Zinc Oxide

| | | |
|-----------------------------|-----------|--|
| Ocular: | 1314-13-2 | Eyes - rabbit Result: Mild eye irritation - 24 h |
| Sensitization: | | No additional information. |
| Single Target Organ (STOT): | | No additional information. |
| Numerical Measures: | | No additional information. |
| Carcinogenicity: | | No additional information. |
| Mutagenicity: | | 1314-13-2: Hamster Embryo Unscheduled DNA synthesis. 1314-13-2: Hamster Embryo Morphological transformation. 1314-13-2: Hamster Embryo Sister chromatid exchange |

| | |
|------------------------|----------------------------|
| Reproductive Toxicity: | No additional information. |
|------------------------|----------------------------|

SECTION 12 : Ecological information

Ecotoxicity

Toxicity to fish LC50 - *Oncorhynchus mykiss* (rainbow trout) - 1.1 mg/l - 96.0 h: 1314-13-2

Toxicity to daphnia and other aquatic invertebrates EC50 - *Daphnia magna* (Water flea) - 0.098 mg/l - 48 h: 1314-13-2

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects: 1314-13-2: Very toxic to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers

as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14 : Transport information

UN-Number

3077

UN proper shipping name



POWER CHEMICAL

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

Transport hazard class(es)



Class:

9 Miscellaneous dangerous substances and articles

Packing group:III

Environmental hazard:

Zinc Oxide

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information**United States (USA)**

SARA Section 311/312 (Specific toxic chemical listings):

SARA Section 313 (Specific toxic chemical listings):

1314-13-2 Zinc Oxide

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

1314-13-2 Zinc Oxide

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Zinc Oxide**Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)