



Zinc Metal Mossy, Reagent

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Zinc Metal Mossy, Reagent

Manufacturer/Supplier Trade name:

Manufacturer Details:

POWERCHEM –Qewaisna –Menofia Egypt

Emergency telephone number:

(+2)01117366722

WWW.POWERFINECHEMICAL.COM

SECTION 2: Hazards identification

Classification of the substance or mixture:



**Corrosive**

Serious eye damage, category 1



**Irritant**

Acute toxicity (oral, dermal, inhalation), category 4



**Environmentally Damaging**

Acute hazards to the aquatic environment, category 1

Chronic hazards to the aquatic environment, category 1

Eye Damage 1.

Acute Toxicity 4 (oral).

Aquatic Acute Toxicity 1.

Aquatic Chronic Toxicity 1.

Signal word: Danger

Hazard statements:

Causes serious eye damage.

Harmful if swallowed.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Precautionary statements:

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not eat, drink or smoke when using this product.



Zinc Metal Mossy, Reagent

Wear protective gloves/protective clothing/eye protection/face protection.

Wash skin thoroughly after handling.

Avoid release to the environment.

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Dispose of contents and container as instructed in Section 13.


Other Non-GHS Classification:

WHMIS

D2B



NFPA/HMIS



NFPA SCALE (0-4)

Health	3
Flammability	0
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3: Composition/information on ingredients

<b>Ingredients:</b>		
CAS 7446-20-0	Zinc sulfate heptahydrate	100 %
Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:



## POWER CHEMICAL

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

**After skin contact:**

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

**After eye contact:**

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.



**Zinc Metal Mossy, Reagent**

**After swallowing:**

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:**

Irritation- all routes of exposure. Inhalation of fumes may cause metal fume fever, which is characterized by flu-like symptoms with metallic taste, fever, chills, cough, weakness, chest pain, muscle pain and increased white blood cell count. Headache. Nausea. Shortness of breath. May cause bronchitis.

**Indication of any immediate medical attention and special treatment needed:**

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

**SECTION 5: Firefighting measures**

**Extinguishing media**

**Suitable extinguishing agents:**

Use agent most suitable for extinguishing surrounding fire. Use water spray to keep fire-exposed containers cool.

**Unsuitable extinguishing agents:**

None identified.

**Special hazards arising from the substance or mixture:**

Thermal decomposition can lead to release of irritating gases and vapors. Containers may explode in the heat of a fire.

**Advice for firefighters:**

**Protective equipment:**

Wear protective eyewear, gloves, and clothing. Refer to Section 8. Use NIOSH-approved respiratory

protection/breathing apparatus.

**Additional information (precautions):**

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

**SECTION 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation. Ensure that air-handling systems are operational.

**Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

**Methods and material for containment and cleaning up:**

Wear protective eyewear, gloves, and clothing. Refer to Section 8. Always obey local regulations. Containerize for disposal. Refer to Section 13. Sweep up and containerize for disposal. Avoid generating dust. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

**Reference to other sections:** None

**SECTION 7: Handling and storage**



**POWER CHEMICAL**

**Precautions for safe handling:**

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

**Conditions for safe storage, including any incompatibilities:**

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage.



**Zinc Metal Mossy, Reagent**

Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

**SECTION 8: Exposure controls/personal protection**



**Control Parameters:**

7446-20-0, Zinc, ACGIH TLV: NA, OSHA PEL: NA.

**Appropriate Engineering controls:**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

**Respiratory protection:**

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

**Protection of skin:**

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without

touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

**Eye protection:**

Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

**General hygienic measures:**

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing.

**SECTION 9: Physical and chemical properties**

<b>Appearance (physical state, color):</b>	Gray solid	<b>Explosion limit lower:</b> <b>Explosion limit upper:</b>	Not determined Not determined
<b>Odor:</b>	Odorless	<b>Vapor pressure at 20 °C:</b>	1 mmHg @ 487C
<b>Odor threshold:</b>	Not determined	<b>Vapor density:</b>	Not determined
<b>pH-value:</b>	Not determined	<b>Relative density:</b>	Not determined
<b>Melting/Freezing point:</b>	419C	<b>Solubilities:</b>	Reacts with water.
<b>Boiling point/Boiling range:</b>	908C	<b>Partition coefficient (n-octanol/water):</b>	Not determined



## POWER CHEMICAL

Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	460C
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20 °C:	7.14 g/cm <sup>3</sup> at 20 °C Specific Gravity: :7.14		



Zinc Metal Mossy, Reagent

SECTION 10: Stability and reactivity

**Reactivity:**

Nonreactive under normal conditions. Reacts with water.

**Chemical stability:**

Stable under normal conditions.

**Possible hazardous reactions:**

None under normal processing.

**Conditions to avoid:**

Incompatible materials. Excess heat.

**Incompatible materials:**

Oxidizing agents. Strong acids or bases.

**Hazardous decomposition products:**

Zinc oxides.

SECTION 11: Toxicological information

**Acute Toxicity:** No additional information.

**Chronic Toxicity:** No additional information.

**Corrosion Irritation:** No additional information.

**Sensitization:** No additional information.

**Numerical Measures:** No additional information.

**Carcinogenicity:**

EPA: IRIS Carcinogenicity Assessment- D (data are inadequate for an assessment of human carcinogenic potential; inadequate information to assess carcinogenic potential) Zinc

**Mutagenicity:** No additional information.

**Reproductive Toxicity:**

Reproductive effects shown in laboratory animals.

SECTION 12: Ecological information

**Ecotoxicity:**

Fish (acute 7440-66-6): : 96 Hr LC50 Pimephales promelas: 2.16 - 3.05 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 0.211 - 0.269 mg/L [semi-static]; 96 Hr LC50 Pimephales promelas: 2.66 mg/L [static]; 96 Hr LC50 Cyprinus carpio: 30 mg/L; 96 Hr LC50 Cyprinus carpio: 0.45 mg/L [semi-static]; 96 Hr LC50 Cyprinus carpio: 7.8 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 3.5 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 0.24 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.59 mg/L [semi-static]; 96 Hr LC50 Oncorhynchus mykiss: 0.41 mg/L [static]

Crustacea (acute 7440-66-6): : 48 Hr EC50 Daphnia magna: 0.139 - 0.908 mg/L [Static]

Algae (acute 7440-66-6): 96 Hr EC50 Pseudokirchneriella subcapitata: 0.11 - 0.271 mg/L [static]; 72 Hr EC50 Pseudokirchneriella subcapitata: 0.09 - 0.125 mg/L [static]



**POWER CHEMICAL**

**Persistence and degradability:** No additional information.

**Bioaccumulative potential:** No additional information.

**Mobility in soil:** No additional information.

**Other adverse effects:** No additional information.



Zinc Metal Mossy, Reagent

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

(US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

Not Regulated.

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Not Regulated.

Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No additional information.

Comments: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No additional information.

Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

7440-66-6 Zinc Compounds (N982).

RCRA (hazardous waste code):

7440-66-6 Zinc [Phase 4 LDR Rule - Universal Treatment Standards 2.61 mg/L (wastewater); 4.3 mg/L TCLP (nonwastewater)].

TSCA (Toxic Substances Control Act):

All ingredients are listed.



**POWER CHEMICAL**

**CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):**

7440-66-6 Zinc 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $\geq 100 \mu\text{m}$ ).

**Proposition 65 (California):**



**Zinc Metal Mossy, Reagent**

**Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**Canada**

**Canadian Domestic Substances List (DSL):**

All ingredients are listed.

**Canadian NPRI Ingredient Disclosure list (limit 0.1%):**

None of the ingredients are listed.

**Canadian NPRI Ingredient Disclosure list (limit 1%):**

None of the ingredients are listed.

**SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**GHS Full Text Phrases:** None

**Abbreviations and Acronyms:**

- IMDG International Maritime Code for Dangerous Goods.
- IATA International Air Transport Association.
- GHS Globally Harmonized System of Classification and Labelling of Chemicals.
- ACGIH American Conference of Governmental Industrial Hygienists.
- CAS Chemical Abstracts Service (division of the American Chemical Society).
- NFPA National Fire Protection Association (USA).
- HMIS Hazardous Materials Identification System (USA).
- WHMIS Workplace Hazardous Materials Information System (Canada).
- DNEL Derived No-Effect Level (REACH).
- PNEC Predicted No-Effect Concentration (REACH).
- CFR Code of Federal Regulations (USA).
- SARA Superfund Amendments and Reauthorization Act (USA).
- RCRA Resource Conservation and Recovery Act (USA).
- TSCA Toxic Substances Control Act (USA).



**POWER CHEMICAL**

NPRI National Pollutant Release Inventory (Canada).  
DOT US Department of Transportation.



**POWER CHEMICAL**

Zinc Metal Mossy, Reagent